Index

Abstainers
  demographic variables, 10–2, 22–3, 27, 39–45, 56–7, 62–3, 75–9, 92–3, 132–6, 140–3, 151
  parents' drinking, 80–1, 134–7, 141–3
  personality, 81
Age
  drinker types
    London, 77, 92–3
    Norway, 132–3, 142–6, 151
    Sydney, 9–10, 13–4, 22–4, 27
    U.S. cities, 39–45, 56–7
  drinking-related problems, 103–4, 113, 118–9
Alcoholic beverage choice
  London, 81–3, 92–3
  Norway, 132–6
  U.S. cities, regions, 45–7, 56–7
Alcoholism
  drinking patterns
    Australia, 1–4, 27
    Chinese, U.S.A., 58–9, 68
    England, 89–90, 92–3
    San Francisco, 29–32, 56–7
  prevalence, United Kingdom, 121, 128
Attitudes, drinking, Chinese, 64–5, 68
Australia, drinker types, demographic variables, 9–27

Chinese, San Francisco
  attitudes, drinking, drunkenness, 64–5, 68
  drinking patterns, 58–68
Community size, drinker types, 133, 135, 142–3, 148–9, 151

Day of week, drinking, socioeconomic status, 83, 87, 92–3
Death rate, alcoholism, United Kingdom, 121, 128
Drinker types
  alcoholic beverage choice, 45–7, 56–7, 81–3, 92–3, 132–6
  demographic variables, 8–27, 34–45, 56–7, 76–9, 92–3, 132–6, 140–51
  drinking-related problems, 96–103, 111–2, 118–9
  intersurvey comparisons, 21–3, 34–49, 56–7
  parents' drinking pattern, 80–1, 92–3, 134–6, 151
  personality, 81, 92–3
  regulations, alcoholic beverages, 134, 136, 143–9, 151
  religious involvement, 134–6, 142–3, 151
Drinking patterns, *see* Drinker types
Drinking places, 47–9, 56–7, 65–6, 84–5, 92–3
Drinking-related problems (*see also* Problem drinkers)
  demographic variables, 49–53, 56–7, 103–5, 113–4, 118–9, 120–8
  drinker types, 96–103, 111–2, 118–9
  motivation, drinking, 106–8, 111–3, 118–9, 124–5, 128
  personality, 104, 106, 114, 118–9, 124–5, 128
Drunkenness arrests
  Norway, 148–9
  United Kingdom, 121, 128

Economic status, *see* Income
Educational status, drinker types
  Norway, 133, 135–6, 142–3, 151
  Sydney, 10, 14–5, 24, 27
Ethnicity (*see also* Chinese)
  drinker types, 77, 79, 92–3
  drinking-related problems, 104–5, 113–4, 118–9
Expenditures, alcoholic beverages, socioeconomic status, 77, 79, 87, 92–3
Extraversion–introversion
  drinker types, 81, 92–3
  problem drinking, 106, 124–5
Eysenck Personality Inventory, 81, 124

Income, drinker types
  Norway, 134–6, 142–3, 146, 151
  Sydney, 11, 16–7, 24, 27

Liver cirrhosis, death rate, United Kingdom, 121, 128
London, drinker types
  alcoholic beverage choice, 81–3, 92–3
  demographic variables, 76–9, 87, 92–3
  drinking-related problems, 94–119, 120–8
  expenditures, alcoholic beverages, 77, 79, 87, 92–3
  parents' drinking, 80, 92–3
  personality, 81, 92–3

Marital status
  drinker types, Sydney, 18–9, 25, 27
  drinking-related problems, 103–4, 113–4
Mental hospital admissions, alcoholism, United Kingdom, 121, 128

Index

Abstainers
  demographic variables, 10–2, 22–3, 27, 39–45, 56–7, 62–3, 75–9, 92–3, 132–6, 140–3, 151
  parents' drinking, 80–1, 134–7, 141–3
  personality, 81
Age
  drinker types
    London, 77, 92–3
    Norway, 132–3, 142–6, 151
    Sydney, 9–10, 13–4, 22–4, 27
    U.S. cities, 39–45, 56–7
  drinking-related problems, 103–4, 113, 118–9
Alcoholic beverage choice
  London, 81–3, 92–3
  Norway, 132–6
  U.S. cities, regions, 45–7, 56–7
Alcoholism
  drinking patterns
    Australia, 1–4, 27
    Chinese, U.S.A., 58–9, 68
    England, 89–90, 92–3
    San Francisco, 29–32, 56–7
  prevalence, United Kingdom, 121, 128
Attitudes, drinking, Chinese, 64–5, 68
Australia, drinker types, demographic variables, 9–27

Chinese, San Francisco
  attitudes, drinking, drunkenness, 64–5, 68
  drinking patterns, 58–68
Community size, drinker types, 133, 135, 142–3, 148–9, 151

Day of week, drinking, socioeconomic status, 83, 87, 92–3
Death rate, alcoholism, United Kingdom, 121, 128
Drinker types
  alcoholic beverage choice, 45–7, 56–7, 81–3, 92–3, 132–6
  demographic variables, 8–27, 34–45, 56–7, 76–9, 92–3, 132–6, 140–51
  drinking-related problems, 96–103, 111–2, 118–9
  intersurvey comparisons, 21–3, 34–49, 56–7
  parents' drinking pattern, 80–1, 92–3, 134–6, 151
  personality, 81, 92–3
  regulations, alcoholic beverages, 134, 136, 143–9, 151
  religious involvement, 134–6, 142–3, 151
Drinking patterns, *see* Drinker types
Drinking places, 47–9, 56–7, 65–6, 84–5, 92–3
Drinking-related problems (*see also* Problem drinkers)
  demographic variables, 49–53, 56–7, 103–5, 113–4, 118–9, 120–8
  drinker types, 96–103, 111–2, 118–9
  motivation, drinking, 106–8, 111–3, 118–9, 124–5, 128
  personality, 104, 106, 114, 118–9, 124–5, 128
Drunkenness arrests
  Norway, 148–9
  United Kingdom, 121, 128

Economic status, *see* Income
Educational status, drinker types
  Norway, 133, 135–6, 142–3, 151
  Sydney, 10, 14–5, 24, 27
Ethnicity (*see also* Chinese)
  drinker types, 77, 79, 92–3
  drinking-related problems, 104–5, 113–4, 118–9
Expenditures, alcoholic beverages, socioeconomic status, 77, 79, 87, 92–3
Extraversion–introversion
  drinker types, 81, 92–3
  problem drinking, 106, 124–5
Eysenck Personality Inventory, 81, 124

Income, drinker types
  Norway, 134–6, 142–3, 146, 151
  Sydney, 11, 16–7, 24, 27

Liver cirrhosis, death rate, United Kingdom, 121, 128
London, drinker types
  alcoholic beverage choice, 81–3, 92–3
  demographic variables, 76–9, 87, 92–3
  drinking-related problems, 94–119, 120–8
  expenditures, alcoholic beverages, 77, 79, 87, 92–3
  parents' drinking, 80, 92–3
  personality, 81, 92–3

Marital status
  drinker types, Sydney, 18–9, 25, 27
  drinking-related problems, 103–4, 113–4
Mental hospital admissions, alcoholism, United Kingdom, 121, 128

Methodology, drinking surveys, 4–8, 32–4, 71–5, 86, 95–6, 109–11, 131–2, 137–40
Mortality, *see* Death rate
Motivation, drinking, 106–8, 111–3, 118–9, 124–5, 128

National Institute for Alcohol Research, Norway, 129
Nativity, drinker types, Sydney, 12, 19–20, 25, 27
Neuroticism
  drinker types, 81, 92–3
  drinking-related problems, 104, 106, 114, 118–9, 124–5, 128
Norway, drinker types
  demographic variables, 132–6, 140–4, 151
  parents' drinking, 134–6, 151
  regional differences, 140–4, 151

Occupational status, drinker types, Sydney, 10–1, 15–6, 24, 27

Parents' drinking pattern, drinker types
  London, 80–1, 92–3
  Norway, 134–6, 143, 151
Personality
  drinker types, 81, 92–3
  drinking-related problems, 104, 106, 114, 118–9, 124–5, 128
Problem drinkers (*see also* Drinking-related problems)
  demographic variables, 103–5, 118–9
  identification, 97, 100–3
  motivation, drinking, 106–8, 118–9
  personality, 104, 106, 118–9, 124–5, 128
  women, 122–8

Regions, geographic, drinker types, 34–45, 56–7, 140–4, 151
  alcoholic beverage choice, 45–7, 56–7
Regulations, alcoholic beverages, Norway, drinker types, 134, 136, 143–9, 151
Religious affiliation
  drinker types
    London, 77–8, 92–3
    Sydney, 12, 20–1, 25, 27
  drinking-related problems, 104–5, 113–4, 118–9
Religious involvement, drinker types, Norway, 134–6, 142–3, 151
Residential mobility, drinking-related problems, 105, 118–9
Rural–urban residence, drinker types, 133, 135, 142–51

San Francisco
  drinker types
    alcoholic beverage choice, 45–7, 56–7
    Chinese, 62–8
    demographic variables, 39–45, 56–7
    drinking places, 47–9, 56–7
    intersurvey comparisons, 21–3, 34–45, 52–4, 56–7
  drinking-related problems, 29–32, 49–54, 56–7
Sex differences
  drinker types, 8–9, 21–2, 34–9, 56–7
    alcoholic beverage choice, 45–7, 56–7, 81–3, 92–3
    demographic variables, 9–21, 23–7, 39–45, 56–7, 75–9, 92–3, 132–6, 146, 151
    drinking places, 47–9, 56–7, 84–5, 92–3
    intersurvey comparisons, 21–3, 34–49, 56–7
    parents' drinking, 80–1, 92–3, 132–6
  drinking-related problems, 49–53, 56–7, 120–8
  expenditures, alcoholic beverages, 77, 79, 92–3
Sex ratio, drinking-related problems, 122–7
Socioeconomic status (*see also* Income)
  drinker types
    London, 76–7, 87, 92–3
    Sydney, 11, 16–8, 24, 27
    U.S. cities, 39–45, 56–7
  drinking
    day of week, 83, 92–3
    places, 84–5, 92–3
  drinking-related problems, 104–5, 114, 118–9
  expenditures, alcoholic beverages, 77, 79, 87, 92–3
Sydney, drinker types
  demographic variables, 9–27
  intersurvey comparisons, 21–3

United Kingdom, statistics, alcohol problems, 121, 128
United States, cities, intersurvey comparisons
  drinker types, 21–3, 34–45, 52–4, 56–7
  drinking-related problems, 49–54, 56–7

Women, *see* Sex differences